

Catalogue 2013

Mobile Security

Motorbike and Scooter Locks



U-Shackle Locks

Page 10 - 13

Lock-Chain-Combinations

Page 14 - 27

Steel-0-Flex Locks

Page 28 - 37

Cable Locks

Page 38 - 41

Alarm Brake Disc Locks

Page 42 - 49

Brake Disc Locks

Page 50 - 61

Sportscam

Page 62 - 63

Special Security Items

Page 64 - 75

Padlocks and Chains

Page 76 - 83

Brackets

Page 84 - 89

Sales Displays

Page 90 - 99

ABUS - The good feeling of security.

ABUS – Tradition on a course towards the future.

When August Bremicker and family founded the company in 1924 with trust in God, they had a great deal of technical skill and a vision: They wanted to create products to protect people and their property. A farsighted corporate guideline – a commitment to quality right from the start. The prelude to a continuous success story. "August Bremicker und Söhne" became ABUS. The ABUS brand became a synonym for security. The German padlock manufacturer turned into a globally operating corporate group for preventative security technology. Using proven, innovative, recognised products that are trendsetters in many sectors. Tradition set on a course towards the future.




ABUS Worldwide.

The ABUS reputation and tradition is firmly based on international business. Historically based on strong European activity, we were quick to orient towards global sales and manufacturing. Today ABUS is active in many significant countries via its own subsidiaries and partners with approximately 2,500 employees. This continually adds synergy to the mutual strength of the ABUS Group continually enabling us to create powerful solutions for mechanical and electronic security.

ABUS Production Quality

"Made in Germany" stands worldwide for excellent engineering and the highest quality levels. ABUS enhances this German reputation through optimal quality driven production protocols. Ergonomic working units guarantee concentrated, structured work, complemented by high-tech machinery that ensures the ultimate precision. "Made in Germany" brand quality has evolved from the harmonious interaction of highly trained and skilled workers using the best raw materials on the latest high technology machinery. These standards of excellence apply to all ABUS security products from all our manufacturing sites.



Key Service

Please note the following surcharges:

For keyed alike locks:
Surcharge 10 %

For keyed alike locks as per sample key:
Surcharge 25 %



Ref. No.	Article	EAN
Additional keys	Standard key ABUS X-Plus	24656 2
Additional keys	Key for ABUS-Plus	06228 5
Additional keys	Key for ABUS EXTRA-Classe	26767 3
Additional keys	Standard key	02685 0
Extra cut keys	Key for ABUS X-Plus	24657 9
Extra cut keys	Key for ABUS-Plus	06227 8
Extra cut keys	Key for ABUS EXTRA-Classe	26766 6
Extra cut keys	Standard Key	02675 1
Key Order Card (only ABUS-Plus)	ABUS-Plus voucher	04318 5

ABUS Key Service



The ABUS key service.

The purchase of a lock is the starting point for the service at ABUS. It includes easy and secure orders for spare keys, replacement keys in case you lost one and for keyed-alike security solutions.

In the case of X-Plus and Plus cylinders, the ABUS Code Card is the long term documentation of the key code. Even after years, the lock and key are compatible and retrofitable. By the Code Card we are able to produce spare keys or even build a completely new lock!

A further service we provide is the production of keyed alike products.

That means, that different products with the same cylinder (for example various motorbike locks or combinations of motorbike locks and padlocks) can be operated with one single key.

The production of new keys is done only at the ABUS plants for security reasons. After a few days you can receive the key from your local retailer.

The key service is offered exclusively via retailers. In case of any questions, do not hesitate to contact your local dealer!



Keyed alike index

	U-Shackle locks	Granit Extreme 59	Granit Power 58 HB III	Granit X-Plus 54	Granit Futura 64	Granit Strato 61	uGrip Plus 501	Granit Plus 51	Varedo 47	Foldable locks	Bordo Granit X-Plus 6500	Bordo 6000	Bordo 6000 Evolution	Bordo 6050	Schloss-Ketten-Kombinationen	Granit Extreme Plus 59	Granit 4900	Granit Extreme Chain 37	Granit Detecto 8000	Granit Power Chain 37	Granit 58/140 HB III 100	Granit 69 Extreme	Granit Victory X-Plus 68	Granit CityChain X-Plus 1060	CityChain 1010	Steel-0-Flex locks	Granit Steel-0-Flex X-Plus 1050	Granit Steel-0-Flex X-Plus 1025	Granit Steel-0-Flex 1000	Brake disk locks	Granit Detecto X-Plus 8077	Granit Detecto X-Plus 8000	Granit Sledg 77	Granit Extreme 69	Granit Victory X-Plus 68	Granit Quick Maxi + Mini	Granit Quick 37	Granit 67 Power XS				
U-Shackle locks																																										
Granit Extreme 59		X	X													X			X		X	X											X		X							
Granit Power 58 HB III		X	X													X			X		X	X										X		X								
Granit X-Plus 54				X							X						X								X		X	X													X	
Granit Futura 64					X	X	X	X	X																																	
Granit Strato 61					X	X	X	X	X																																	
uGrip Plus 501					X	X	X	X	X																																	
Granit Plus 51					X	X	X	X	X																																	
Varedo 47					X	X	X	X	X																																	
Foldable locks																																										
Bordo Granit X-Plus 6500				X							X						X								X		X	X													X	
Bordo 6000												X	X	X																												
Bordo 6000 Evolution												X	X	X																												
Bordo 6050												X	X	X																												
Lock-Chain-Combinations																																										
Granit Extreme Plus 59		X	X													X			X		X	X											X		X							
Granit 4900				X							X						X								X		X	X													X	
Granit Extreme Chain 37																		X		X					X			X										X	X			
Granit Detecto 8000		X	X													X			X		X	X											X		X							
Granit Power Chain 37																		X		X					X			X										X	X			
Granit 58/140 HB III 100		X	X													X			X		X	X											X		X							
Granit 69 Extreme		X	X													X			X		X	X											X		X							
Granit Victory X-Plus 68																								X								X		X		X						
Granit CityChain X-Plus 1060				X							X						X								X		X	X													X	
CityChain 1010																		X		X					X			X										X	X			
Steel-0-Flex locks																																										
Granit Steel-0-Flex X-Plus 1050				X							X						X							X		X	X														X	
Granit Steel-0-Flex X-Plus 1025				X							X						X							X		X	X														X	
Granit Steel-0-Flex 1000																		X		X					X			X											X	X		
Brake disk locks																																										
Granit Detecto X-Plus 8077																							X									X		X		X						
Granit Detecto X-Plus 8000		X	X													X			X		X	X											X		X							
Granit Sledg 77																																	X		X		X					
Granit Extreme 69		X	X													X			X		X	X											X		X							
Granit Victory X-Plus 68																																	X		X		X					
Granit Quick Maxi + Mini																		X		X					X			X										X	X			
Granit Quick 37																		X		X					X			X										X	X			
Granit 67 Power XS				X							X						X							X		X	X														X	

Subject to mistakes and technical changes

Test Seals

ABUS locks are tested and acknowledged by independent, neutral test institutes in several European countries. The following test seals confirm the extraordinary security of the ABUS 2-Wheel locks:

Test Seal of the Svensk Brand- och Säkerhetscertifiering AB – Stockholm, Sweden



Test Seal of the Norges Forsikringsforbund – Oslo, Norway



Test Seal of the Vahinkovakuutusyhtiöiden Hyväksymä – Helsinki, Finland



Test Seal of the Vakuutusyhtiöiden Hyväksymä laite – Helsinki, Finland



Test Seal of Stichting ART – The Netherlands



Test Seal of the THATCHAM VEHICLE SECURITY – Great Britain



Test Seal of OSIMZ, Moscow, Russia



Test Seal of VdS – Cologne, Germany



ABUS Seal for Ice Spray Test – Volmarstein, Germany



Rate Award of the "Stiftung Warentest" – Berlin, Germany




VSF Quality Seal, Germany



These acknowledgements are based on ABUS internal product tests in the company test laboratory. Here, ABUS test the locks on their security and durability in large scale tests permanently. The resulting standards from the basis of the ABUS Level System is the customer-friendly classification system.





The ABUS Level System

The ABUS Level System serves as a guide to help you choosing the right lock for your purpose.

The evaluation of each lock is based on three different factors:

- 75% Security and resistance to attacks: features such as shackle diameter and materials, locking and cylinder technology
- 20% Ease-of-use: features such as flexible universal carriers, automatic locking systems or user-friendly shapes
- 5% Design: aspects underlining the special value of the ABUS products

The ABUS Level System – the ultimate, user-friendly selling aid.



GRANIT™

Tough Security.

MADE IN
GERMANY

Best security has a name: Granit. The Granit locks are known to be made with the best materials, the best technology and many patents.

- 1 ABUS X-Plus cylinder: The ultimate resistance against intelligent opening methods e.g. picking
- 2 Power Cell Technology makes pulling and breaking forces spread through the whole lock, using the resistance of the complete lock
- 3 Square shackles force the thief to cut the shackle twice as it can not be twisted open
- 4 The parabolic shaped shackle generates at least two contact points with every object being used to pull on the shackle – this reduces the breaking force coming on one point
- 5 A special steel alloy and a particular hardening process make the shackle hard, resisting sawing attacks, but still flexible enough to withstand torsion attacks
- 6 Power Link Technology means direct locking of the chain end link into the highly resistant locking mechanism
- 7 High quality chain produced according to special ABUS specifications





Sicherheit von ABUS
Biker's best friend

ABUS Startseite | Sicherheit Unterwegs | Motorräder / Scooter

ABUS Motorradsicherheit

Egal, ob 125er, Scooter, Shopper oder Sportbike – ABUS hält für Sie eine umfangreiche Auswahl an ausgeklügelten mechanisch oder immer häufiger auch im Mix aus Mechanik und Elektronik. Die Motorrad Diebe scheitern an hochwertigen durchkonstruierten Schließsystemen „Made in Germany“.

Welches Motorradschloss ist für Ihr Bike das richtige – ein Bügelschloss, ein Kettenschloss oder doch eher ein Alarm-Bremsschloss-Guide zeigt Ihnen die passende Lösung.

Please visit us
on our new website:
www.abus.com

Please visit us on our new website: www.abus.com

Motorbike Guide: A special service.

The ABUS "Motorbike Guide" on
www.abus-motorrad.de

gives you the interactive possibility to look for the lock that fits to your bike. This service provides you with recommendations regarding compatibility of different brake disc locks and gives information about transportation options (seat, bracket etc.) on the particular bike. The ABUS database includes a large number of different motorbikes.

All information is without obligation and subject to technical modifications to the motorbikes and/or the locks. The information is a recommendation only!



U-Shackle Locks



Granit Extreme 59



SH 59

Operation and use

- Very good protection at high theft risk
- Recommended for securing valuable motorbikes

Technology and features




- 16 mm square parabolic shackle (patented)
- Double bolted shackle in the lock body
- The shackle, the lock body as well as supporting elements of the locking mechanism are made of special hardened steel
- ABUS X-Plus cylinder for highest protection against manipulations, e.g. picking
- Two keys are supplied with the lock, one LED torch key
- Manually operated keyhole cover against dirt and corrosion
- ABUS Code Card for additional or replacement keys

Holder and transportation

- SH 59 - easy to mount bracket on tubes with round diameters (12-17 mm)


Tip

- This lock can be ordered keyed alike to other locks. This means several locks would match one key, respectively key code
- Locks of the U-shackle category belong to the most resistant locks in general
- To increase the security during longer parking time it is recommendable to secure the motorbike to a fixed object additionally

Ref. No	EAN 4003318	  	Weight	P.U.*
59/180HB310	20187 5	310 / 111 / 16 mm	3060 g	1
59/180HB260	20186 8	260 / 111 / 16 mm	2900 g	1
SH 59	23763 8			2

P.U. = Packing unit

Granit Power 58



SH 58



Operation and use

- Very good protection at high theft risk
- Recommended for securing valuable motorbikes

Technology and features

- 16 mm shackle
- Double bolted shackle in the lock body
- The shackle, the lock body as well as supporting elements of the locking mechanism are made of special hardened steel
- ABUS X-Plus cylinder for highest protection against manipulations, e.g. picking
- Two keys are supplied with the lock, one LED torch key
- Manually operated keyhole cover against dirt and corrosion
- ABUS Code Card for additional or replacement keys

Holder and transportation

- SH 58 - easy to mount bracket on tubes with round diameters (12-17 mm)


Tip

- This lock can be ordered keyed alike to other locks. This means several locks would match one key, respectively key code
- Locks of the U-shackle category belong to the most resistant locks in general
- To increase the security during longer parking time it is recommendable to secure the motorbike to a fixed object additionally

Ref. No	EAN		Weight	P.U.*
	4003318			
58/140HBIII310	32865 7	310 / 83 / 16 mm	2580 g	2
58/140HBIII260	32864 0	260 / 83 / 16 mm	2510 g	2
SH 58	05810 3			3

P.U. = Packing unit

Granit X-Plus 54



Operation and use




- Good protection at high theft risk
- Recommended for securing entry level motorbikes, light motorbikes and scooters

Technology and features

- 13 mm parabolic shackle (patented)
- Shackle double bolted in the lock body
- ABUS power cell technology (patented) offers highest protection against hitting and pulling attacks
- The shackle, the lock body as well as supporting elements of the locking mechanism are made of special hardened steel
- ABUS X-Plus cylinder for highest protection against manipulations, e.g. picking
- Two keys are supplied with the lock, one LED torch key
- ABUS Code Card for additional or replacement key

Tip

- This lock can be ordered keyed alike to other locks. This means several locks would match one key, respectively key code
- Locks of the U-shackle category belong to the most resistant locks in general
- To increase the security during longer parking time it is recommendable to secure the motorbike to a fixed object additionally

Ref. No	EAN 4003318	  	Weight	P.U.*
54/160HB300	22975 6	300 / 108 / 13 mm	1656 g	6
54/160HB230	22976 3	230 / 108 / 13 mm	1450 g	6

P.U. = Packing unit


Lock-Chain Combinations



ABUS Security Partner
Peugeot Scooter



59 EXTREME



67 12KS



37/80 14KS



1060



80/77 12KS



1010



8000 12KS



34CS 10KS



58/100 12KS



9100



68 12KS



8210



92W 8KS



Granit Extreme Plus 59



Operation and use

- Very good protection at high theft risk
- Recommended for securing valuable motorbikes
- The longer the chain, the easier the motorbike can be locked to a fixed object

Technology and features

- 12 mm strong chain with fabric sleeve to prevent damage to the motorbike's paintwork
- ABUS Power Link Technology (patented) offers a direct and covered locking of the chain into the locking mechanism
- The chain, the lock body as well as supporting elements of the locking mechanism are made of special hardened steel
- ABUS X-Plus cylinder for highest protection against manipulations e.g. picking
- Two keys are supplied with the lock, one LED torch key
- Manually operated keyhole cover against dirt and corrosion
- ABUS Code Card for additional or replacement key

Tip

- This lock can be ordered keyed alike to other locks. This means several locks would match one key, respectively key code
- Chain lock combinations are a very good solution for locking a motorbike to a fixed object
- Very handy use because only one end of the chain must be locked
- To limit the possibilities of brutal attacks it is recommendable to avoid that the chain lays on or hangs close to the ground

Ref. No	EAN 4003318		Weight	P.U.*
59/12HKS110	56558 8	12 mm / 110 cm	4000 g	1
59/12HKS 140	56559 5	12 mm / 140 cm	4700 g	1
59/12HKS170	56560 1	12 mm / 170 cm	5700 g	1
ST1010	23207 7	160 mm / 250 mm / 50 mm	172 g transport bag	1

P.U. = Packing unit

Granit Power Chain 37 14KS Black Loop



Operation and use

- Very good protection at high theft risk
- Recommended for securing valuable motorbikes

Technology and features

- 14 mm strong loop chain with fabric sleeve to prevent damage to the motorbike's paintwork
- Double bolted 14 mm shackle in the lock body
- Cylinder inserted into the padlock from the top for optimum drill and pull resistance
- Shackle guard protects against attacks with tools
- The padlock is coated with Black Granit coating for even more corrosion resistance
- The chain, the shackle, the padlock body as well as supporting elements of the locking mechanism are made of special hardened steel
- ABUS Plus cylinder for high protection against manipulations, e.g. picking
- Two keys are supplied with the lock, one LED torch key
- ABUS Code Card for additional or replacement key

Tip

- This lock can be ordered keyed alike to other locks. This means several locks would match one key, respectively key code
- Chain lock combinations are a very good solution for locking a motorbike to a fixed object
- The loop chain permits a very efficient use of the chain length
- To limit the possibilities of brutal attacks it is recommendable to avoid that the chain lays on or hangs close to the ground

Ref. No	EAN		Weight	P.U.*
37RK/80 14KS 120 black loop	52285 7		7052 g	1

P.U. = Packing unit

Granit Detecto 8077 12KS Black Loop

NEW



12KS120 adapter chain



Operation and use

- Very Good protection at high theft risk
- Recommended for securing valuable motorbikes

Technology and features

- 12 mm strong loop chain with fabric sleeve to prevent damage to the motorbike's paintwork
- The chain, the 13 mm bolt, the lock body as well as supporting elements of the locking mechanism are made of special hardened steel
- Alarm function of the ABUS 3D detection system that means, that every movement is detected
- Alarm of at least 100 dB
- Lock can be transported in locked condition without activated detection system thanks to automatic brake disc recognition system
- A multi colour LED and different acoustic signals inform about battery and activation status
- ABUS X-Plus cylinder for highest protection against manipulations e.g. picking
- Two keys are supplied with the lock, one LED torch key
- ABUS Code Card for additional or replacement key
- Two AAA standard batteries for the alarm function included

Tip

- This lock can be ordered keyed alike to other locks. This means several locks would match one key, respectively key code
- Chain lock combinations are a very good solution for locking a motorbike to a fixed object
- The loop chain permits a very efficient use of the chain length
- Very handy use because only one end of the chain must be locked
- Two in one lock that means that the brake disc lock can also be used without the chain
- The chain has a special end link and can only be used in combination with the Detecto 8077 brake disc lock
- Please note that the chain combination does not necessarily fit on the same brake discs like the lock alone
- To limit the possibilities of brutal attacks it is recommendable to avoid that the chain lays on or hangs close to the ground

* applicable for lock only, ** applied for

Ref. No	EAN		Weight	P.U.*
8077 12KS120 black loop	59473 1	12 mm / 120 - 13 / 48 mm	3800 g	1

P.U. = Packing unit

Granit Detecto 8000 12KS 120 Black Loop



12KS120 adapter chain



Operation and use

- Very good protection at high theft risk
- Recommended for securing valuable motorbikes

Technology and features

- 12 mm strong loop chain with fabric sleeve to prevent damage to the motorbike's paintwork
- The chain, the locking body as well as supporting elements of the locking mechanism are made of special hardened steel
- Alarm function of the ABUS 3D detection system that means, that every movement is detected
- Alarm of at least 100 dB
- Lock can be transported in locked condition without activated detection system thanks to automatic brake disc recognition system
- Different acoustic signals inform about battery, activation and alarm status
- ABUS X-Plus cylinder for highest protection against manipulations e.g. picking
- Two keys are supplied with the lock, one LED torch key
- Manually operated keyhole cover against dirt and corrosion
- ABUS Code Card for additional or replacement key

Tip

- This lock can be ordered keyed alike to other locks. This means several locks would match one key, respectively key code
- Chain lock combinations are a very good solution for locking a motorbike to a fixed object
- The loop chain permits a very efficient use of the chain length
- Very handy use because only one end of the chain must be locked
- Two in one lock that means that the brake disc lock can also be used without the chain
- The chain has a special end link and can only be used in combination with the Detecto 8000 brake disc lock
- Please note that the chain combination does not necessarily fit on the same brake discs like the lock alone
- To limit the possibilities of brutal attacks it is recommendable to avoid that the chain lays on or hangs close to the ground

* applicable for lock only, ** applicable for lock chain combination only

Ref. No	EAN		Weight	P.U.*
8000 12KS 120 black loop	35842 5	12 mm / 120 cm - 14 / 53 mm	4500 g	1
Chain 12KS 120 for 8000	43463 1	12 mm / 120 cm	4000 g	2

P.U. = Packing unit

Granit 58 12KS Black Loop



Operation and use

- Very good protection at high theft risk
- Recommended for securing valuable motorbikes

Technology and features

- 12 mm strong loop chain with fabric sleeve to prevent damage to the motorbike's paintwork
- Double bolted 16 mm shackle in the lock body
- The chain, the lock body as well as supporting elements of the locking mechanism are made of special hardened steel
- ABUS Plus cylinder for high protection against manipulations, e.g. picking
- Two keys are supplied with the lock, one LED torch key
- Manually operated keyhole cover against dirt and corrosion
- ABUS Code Card for additional or replacement key

Tip

- This lock can be ordered keyed alike to other locks. This means several locks would match one key, respectively key code
- Chain lock combinations are a very good solution for locking a motorbike to a fixed object
- The loop chain permits a very efficient use of the chain length
- Two in one lock that means that the U-Shackle lock can also be used without the chain
- To limit the possibilities of brutal attacks it is recommendable to avoid that the chain lays on or hangs close to the ground

Ref. No	EAN		Weight	P.U.*
58/140HBIII100 12KS 120 black loop	4003318 32870 1	12 mm / 120 cm - 100 / 83 / 16 mm	4500 g	1

P.U. = Packing unit

Granit 68 Victory 12KS Black Loop



Operation and use

- Very good protection at high theft risk
- Recommended for securing valuable motorbikes

Technology and features

- 12 mm strong loop chain with fabric sleeve to prevent damage to the motorbike's paintwork
- The round shape and the three independently rotating pieces hinder the use of opening tools
- The chain, the bolt, the lock body as well as supporting elements of the locking mechanism are made of special hardened steel
- ABUS X-Plus cylinder for highest protection against manipulations e.g. picking
- Two keys are supplied with the lock, one LED torch key
- ABUS Code Card for additional or replacement key

Tip

- This lock can be ordered keyed alike to other locks. This means several locks would match one key, respectively key code
- Chain lock combinations are a very good solution for locking a motorbike to a fixed object
- The loop chain allows a very efficient use of the chain's length
- Two in one lock that means that the brake disc lock can also be used without the chain
- To limit the possibilities of brutal attacks it is recommendable to avoid that the chain lays on or hangs close to the ground

Ref. No	EAN		Weight	P.U.*
68 12KS 120 black loop	44743 3	12 mm / 120 cm - 14 mm	3500 g	1
ST1010	23207 7	160 mm / 250 mm / 50 mm	172 g	transport bag 1

P.U. = Packing unit

Granit Power XS 67 KS Black Loop



Operation and use

- Good protection at high theft risk
- Recommended for securing entry level motorbike, light motorbikes and scooters

Technology and features

- Strong chain with fabric sleeve to prevent damage to the motorbike's paintwork
- 14 mm steel shackle
- Double bolted shackle in the lock body
- The chain, the bolt, the lock body as well as supporting elements of the locking mechanism are made of special hardened steel
- Smooth silicon lock body cover to prevent scratches
- „ABUS X-Plus cylinder for highest protection against manipulations, e.g. picking“
- Two keys are supplied with the lock, one LED lighted
- Manually operated keyhole cover against dirt and corrosion
- ABUS Code Card for additional or replacement keys

Tip

- This lock can be ordered keyed alike to other locks. This means several locks would match one key, respectively key code
- Chain lock combinations are a very good solution for locking a motorbike to a fixed object
- The loop chain allows a very efficient use of the chain's length
- Two in one lock that means that the brake disc lock can also be used without the chain
- To limit the possibilities of brutal attacks it is recommendable to avoid that the chain lays on or hangs close to the ground

* applied for

Ref. No	EAN		Weight	P.U.*
67/105HB50 yellow + 12KS120 black loop *	58241 7	12 mm / 120 cm - 17 mm	3500 g	1
67/105HB50 red 10KS120 black loop	59715 2	10 mm / 120 cm - 17 mm	3300 g	1

P.U. = Packing unit

Granit CityChain X-Plus 1060



Operation and use

- Good protection at high theft risk
- Recommended for securing entry level motorbikes, light motorbikes and scooters
- The longer the chain, the easier the motorbike can be locked to a fixed object

Technology and features

- 10 mm strong chain with fabric sleeve to prevent damage to the motorbike's paintwork
- ABUS Power Link Technology (patented) offers a direct and covered locking of the chain into the locking mechanism
- Interlocked lock body cover to protect against brutal opening methods
- The chain, the lock body as well as supporting elements of the locking mechanism are made of special hardened steel
- ABUS X-Plus cylinder for highest protection against manipulations e.g. picking
- Two keys are supplied with the lock, one LED torch key
- Automatic keyhole cover against dirt and corrosion
- ABUS Code Card for additional or replacement key

Tip

- This lock can be ordered keyed alike to other locks. This means several locks would match one key, respectively key code
- Chain lock combinations are a very good solution for locking a motorbike to a fixed object
- Very handy use because only one end of the chain must be locked
- To limit the possibilities of brutal attacks it is recommendable to avoid that the chain lays on or hangs close to the ground

Ref. No	EAN		Weight	P.U.*
	4003318			
1060/85 black	28678 0	10 mm / 85 cm	2100 g	2
1060/110 black	28623 0	10 mm / 110 cm	2650 g	2
1060/140 black	28624 7	10 mm / 140 cm	3260 g	2
1060/170 black	28625 4	10 mm / 170 cm	3750 g	2

P.U. = Packing unit

CityChain 1010



ST 1010



Operation and use

- Very good protection at medium theft risk
- Recommended for securing entry level motorbikes, light motorbikes and scooters
- The longer the chain, the easier the motorbike can be locked to a fixed object

Technology and features

- 9 mm hexagonal chain with fabric sleeve to prevent damage to the motorbike's paintwork
- The chain, the lock body as well as supporting elements of the locking mechanism are made of special hardened steel
- ABUS Plus cylinder for high protection against manipulations, e.g. picking
- Two keys are supplied with the lock
- Automatic keyhole cover against dirt and corrosion
- ABUS Code Card for additional or replacement key

Tip

- This lock can be ordered keyed alike to other locks. This means several locks would match one key, respectively key code
- Chain lock combinations are a very good solution for locking a motorbike to a fixed object
- Very handy use because only one end of the chain must be locked
- To limit the possibilities of brutal attacks it is recommendable to avoid that the chain lays on or hangs close to the ground

Ref. No	EAN			Weight	P.U.*
1010/85 black	33559 4		9 mm / 85 cm	1950 g	2
1010/110 black	12042 8		9 mm / 110 cm	2400 g	2
1010/140 black	12527 0		9 mm / 140 cm	2740 g	2
1010/170 black	12528 7		9 mm / 170 cm	3380 g	2
ST1010	23207 7	160 mm / 250 mm / 50 mm		172 g	transport bag 1

P.U. = Packing unit

Platinum Chain 34 CS/55 10KS



ST 1010



Operation and use

- Good protection at medium theft risk
- Recommended for securing entry level motorbikes, light motorbikes and scooters
- The longer the chain, the easier the motorbike can be locked to a fixed object

Technology and features

- 10 mm strong chain with fabric sleeve to prevent damage to the motorbike's paintwork
- Double bolted 11 mm shackle in the lock body
- Shackle guard protects against attacks with tools
- The chain, the shackle, the padlock body as well as supporting elements of the locking mechanism are made of special hardened steel
- Precision pin tumbler cylinder
- Two keys are supplied with the lock

Tip

- Chain lock combinations are a very good solution for locking a motorbike to a fixed object
- To limit the possibilities of brutal attacks it is recommendable to avoid that the chain lays on or hangs close to the ground

Ref. No	EAN		Weight	P.U.*
34CS/55 10KS 110 black	27946 1	10 mm / 110 cm - 25 / 25 / 11 mm	3010 g	2
34CS/55 10KS 140 black	27947 8	10 mm / 140 cm - 25 / 25 / 11 mm	3710 g	2
ST1010	23207 7	160 mm / 250 mm / 50 mm	172 g	transport bag 1

P.U. = Packing unit

Steel-O-Chain Ivy 9100



Operation and use

- Good protection at low theft risk
- Recommended for securing light motorbikes and scooters
- The longer the chain, the easier the motorbike can be locked to a fixed object

Technology and features

- 10 mm strong square chain, with new, functional, long-life and highly-flexible mesh sleeve to prevent from damage to the motorbike's paintwork
- The chain, the lock body as well as supporting elements of the locking mechanism are made of special hardened steel
- Ergonomic lock body cover with SCT Soft Case Technology, which offers a very high impact resistance
- Premium cylinder for high protection against manipulations, e.g. picking
- Two keys are supplied with the lock

Tip

- Chain lock combinations are a very good solution for locking a motorbike to a fixed object
- Very handy use because only one end of the chain must be locked
- To limit the possibilities of brutal attacks it is recommendable to avoid that the chain lays on or hangs close to the ground

Ref. No	EAN 4003318		Weight	P.U.*
9100/85 black	52528 5	10 mm / 85 cm	2450 g	2
9100/110 black	52544 5	10 mm / 110 cm	2900 g	2
9100/140 black	52650 3	10 mm / 140 cm	3850 g	2
9100/170 black	52651 0	10 mm / 170 cm	4850 g	2

P.U. = Packing unit

Steel-0-Chain Iven 8210



Operation and use

- Good protection at low theft risk
- Recommended for securing light motorbikes and scooters
- The longer the chain, the easier the motorbike can be locked to a fixed object

Technology and features

- 8 mm strong square chain, with new, functional, long-life and highly-flexible mesh sleeve to prevent from damage to the motorbike's paintwork
- The chain, the lock body as well as supporting elements of the locking mechanism are made of special hardened steel
- Ergonomic lock body cover with SCT Soft Case Technology, which offers a very high impact resistance
- Premium cylinder for high protection against manipulations, e.g. picking
- Two keys are supplied with the lock

Tip

- Chain lock combinations are a very good solution for locking a motorbike to a fixed object
- Very handy use because only one end of the chain must be locked
- To limit the possibilities of brutal attacks it is recommendable to avoid that the chain lays on or hangs close to the ground

Ref. No	EAN		Weight	P.U.*
8210/85	55152 9	8 mm / 85 cm	1934 g	2
8210/110	55153 6	8 mm / 110 cm	2497 g	2

P.U. = Packing unit

Winner Chain 92/W65 8KS



Operation and use

- Good protection at low theft risk
- Recommended for securing light motorbikes and scooters
- The longer the chain, the easier the motorbike can be locked to a fixed object

Technology and features

- 8 mm strong chain with fabric sleeve to prevent damage to the motorbike's paintwork
- Due to the construction the bolt is not accessible for opening tools
- The chain as well as the shackle (Nano Protect™) are made of special hardened steel
- The padlock body is made from solid brass with steel jacket
- Precision pin tumbler cylinder
- Two keys are supplied with the lock

Tip

- Chain lock combinations are a very good solution for locking a motorbike to a fixed object
- To limit the possibilities of brutal attacks it is recommendable to avoid that the chain lays on or hangs close to the ground

Ref. No	EAN		Weight	P.U.*
92 W 65/8 KS 85 black	27757 3	8 mm / 85 cm	1850 g	2
92 W 65/8 KS 110 black	27754 2	8 mm / 110 cm	2300 g	2
92 W 65/8 KS 140 black	28681 0	8 mm / 140 cm	2700 g	2

P.U. = Packing unit

Steel-O-Flex Locks



The main image shows a close-up of an ABUS Steel-O-Flex X-Plus lock. A key is inserted into the lock cylinder. A code card is placed in front of the lock, displaying the ABUS logo, 'Security Tech Germany', 'Code Card', 'X1144136', and 'www.abus.de'. The lock body is black and features the 'GRANT®' logo and 'Steel-O-Flex X-Plus®' text. A small label on the lock body indicates 'Security 11 2701 11112'.

ABUS
Security Tech Germany
Code Card
X1144136
www.abus.de

GRANT®
Steel-O-Flex X-Plus®

Security 11 2701 11112

1025

1000

950

9000

8200

860

1360

Granit Steel-O-Flex X-Plus 1025



Operation and use

- Good protection at low theft risk
- Recommended for securing light motorbikes and scooters
- The longer the armored cable, the easier the motorbike can be locked

Technology and features

- 27 mm overlapping steel shells protect the inner steel cable
- PVC-coating to prevent damage of the motorbike's paintwork
- ABUS Power Link Technology (patented) offers a direct locking of the chain to the Power Cell and increases its efficiency
- Interlocked lock body cover to protect against brutal opening methods
- The steel shells, the lock body as well as supporting elements of the locking mechanism are made of special hardened steel
- ABUS X-Plus cylinder for extremely high protection against manipulations, e.g. picking
- Two keys are supplied with the lock, one LED torch key
- Automatic keyhole cover against dirt and corrosion

Tip

- This lock can be ordered keyed alike to other locks. This means several locks would match one key, respectively key code
- Due to the steel shells, the Steel-O-Flex locks reach a significantly higher security than common cable locks, yet maintaining high flexibility

Ref. No	EAN 4003318	 	Weight	P.U.*
1025/100	33561 7	27 mm / 100 cm	1950 g	2
1025/120	33560 0	27 mm / 120 cm	2250 g	2

P.U. = Packing unit

Granit Steel-0-Flex 1000



Operation and use

- Good protection at low theft risk
- Recommended for securing light motorbikes and scooters
- The longer the armored cable, the easier the motorbike can be locked

Technology and features

- 25 mm overlapping steel shells protect the inner steel cable
- PVC-coating to prevent damage of the bicycle's paintwork
- The steel shells, the lock body as well as supporting elements of the locking mechanism are made of special hardened steel
- ABUS Plus cylinder for high protection against manipulations, e.g. picking
- Two keys are supplied with the lock, one LED torch key
- Automatic keyhole cover against dirt and corrosion
- ABUS Code Card for additional and replacement key

Tip

- This lock can be ordered keyed alike to other locks. This means several locks would match one key, respectively key code
- Due to the steel shells, the Steel-0-Flex locks reach a significantly higher security than common cable locks, yet maintaining high flexibility

Ref. No	EAN	 	Weight	P.U.*
	4003318			
1000/80	10008 6	25 mm / 80 cm	1550 g	2
1000/100	10009 3	25 mm / 100 cm	1850 g	2

P.U. = Packing unit

Steel-0-Flex 950



Operation and use



- Good protection at low theft risk
- Recommended for securing light motorbikes and scooters
- The longer the armored cable, the easier the motorbike can be locked

Technology and features

- 25 mm overlapping steel shells protect the inner steel cable
- PVC-coating to prevent damage of the motorbike's paintwork
- Automatic locking when inserting the locking bolt
- The steel shells, the lock body as well as supporting elements of the locking mechanism are made of special hardened steel
- ABUS Plus cylinder for high protection against manipulations, e.g. picking
- Two keys are supplied with the lock
- Manually operated cover for the keyhole against dirt and corrosion
- ABUS Code Card for additional and replacement key

Tip

- Due to the steel shells, the Steel-0-Flex locks reach a significantly higher security than common cable locks, yet maintaining high flexibility

Ref. No	EAN 4003318	 	Weight	P.U.*
950/80	25714 8	25 mm / 80 cm	1400 g	2
950/100	25715 5	25 mm / 100 cm	1600 g	2

P.U. = Packing unit

Steel-0-Flex Ivy 9000



Operation and use



- Good protection at low theft risk
- Recommended for securing light motorbikes and scooters
- The longer the armored cable, the easier the motorbike can be locked to a fixed object

Technology and features

- 27 mm thick, overlapped steel shells protect the inner steel cable
- Functional, long-life and highly-flexible mesh sleeve to prevent from damage to the bicycle's paintwork
- The steel shells, the lock body as well as supporting elements of the locking mechanism are made of special hardened steel
- Ergonomic lock body cover with Soft Case Technology, which offers a very high impact resistance
- Premium cylinder for high protection against manipulations, e.g. picking
- Two keys are supplied with the lock

Tip

- Due to the steel shells, the Steel-0-Flex locks reach a significantly higher security than common cable locks, yet maintaining high flexibility

Ref. No	EAN	 	Weight	P.U.*
9000/100	52546 9	27 mm / 100 cm	1700 g	2
9000/120	52530 8	27 mm / 120 cm	1900 g	2

P.U. = Packing unit

Steel-O-Flex Iven 8200



Operation and use



- Good protection at low theft risk
- Recommended for securing light motorbikes and scooters
- The longer the armored cable, the easier the motorbike can be locked to a fixed object

Technology and features

- 25 mm overlapping steel shells protect the inner steel cable
- Functional, long-life and highly-flexible mesh sleeve to prevent from damage to the motorbike's paintwork
- The steel shells, the lock body as well as supporting elements of the locking mechanism are made of special hardened steel
- Ergonomic lock body cover with Soft Case Technology, which offers a very high impact resistance
- Premium cylinder for high protection against manipulations, e.g. picking
- Two keys are supplied with the lock

Tip

- Due to the steel shells, the Steel-O-Flex locks reach a significantly higher security than common cable locks at furtheron high flexibility

Ref. No	EAN 4003318	 	Weight	P.U.*
8200/85	55148 2	25 mm / 85 cm	1362 g	6
8200/110	55149 9	25 mm / 110 cm	1763 g	6

P.U. = Packing unit

Centuro 860



Operation and use



- Basic protection at low theft risk
- Recommended for securing light motorbikes and scooters
- The longer the armored cable, the easier the motorbike can be locked to a fixed object

Technology and features

- 20 mm overlapping steel shells protect the inner steel cable
- PVC-coating to prevent damage of the motorbike's paintwork
- The steel shells, the lock body as well as supporting elements of the locking mechanism are made of special hardened steel
- ABUS automatic cylinder with drill-protection and userfriendly reversible key
- Two keys are supplied with the lock

Tip

- Due to the steel shells, the Steel-0-Flex locks reach a significantly higher security than common cable locks, yet maintaining high flexibility

Ref. No	EAN	 	Weight	P.U.*
860/85	31495 7	20 mm / 85 cm	780 g	6
Centuro 860	31496 4	20 mm / 110 cm	950 g	6

P.U. = Packing unit

Steel-O-Flex Tresor 1360



Operation and use



- Basic protection at low theft risk
- Recommended for securing light motorbikes and scooters
- The longer the armored cable, the easier the motorbike can be locked to a fixed object

Technology and features

- 20 mm overlapping steel shells protect the inner steel cable
- PVC-coating to prevent damage of the motorbike's paintwork
- The steel shells are made of special hardened steel
- Special touch protection for higher security against unauthorized access to the code through manipulation of the mechanism
- The special imprinting on the digits makes the operation easier even in the dark
- Two component moulded digits guarantee very long visibility of the numbers
- Individually settable code

Tip

- Due to the steel shells, the Steel-O-Flex locks reach a significantly higher security than common cable locks, yet maintaining high flexibility
- The combination lock is very suited for the use by several people

Ref. No	EAN 4003318	 	Weight	P.U.*
1360/85	42935 4	20 mm / 85 cm	664 g	6
1360/110	42934 7	20 mm / 110 cm	840 g	6

P.U. = Packing unit





Cable Locks



970



8220

Cetero 970



Operation and use


- Basic protection at low theft risk
- Recommended for securing light motorbikes and scooters

Technology and features

- 25 mm high quality steel cable
- PVC-coating to prevent damage of the motorbike's paintwork
- Automatic locking when inserting the locking bolt
- The lock body as well as supporting elements of the locking mechanism are made of special hardened steel
- ABUS Plus cyclinder for high protection against manipulations, e.g. picking
- Two keys are supplied with the lock
- Manually operated cover for the keyhole against dirt and corrosion
- ABUS Code Card for additional and replacement key

Tip

- Cable locks stand out due to good flexibility and quite low weight
- The extraordinarily thick cable has an additional deterrent effect

Ref. No	EAN			Weight	P.U.*
Cetero 970	4003318 28630 8	25 mm	100 cm	1140 g	2

P.U. = Packing unit

Iven 8220



Operation and use



- Basic protection at low theft risk
- Recommended for securing light motorbikes and scooters
- The longer the cable, the easier the motorbike can be locked to a fixed object

Technology and features

- 22 mm high quality steel cable
- Functional, long-life and highly-flexible mesh sleeve to prevent from damage to the motorbike's paintwork
- The lock body as well as supporting elements of the locking mechanism are made of special hardened steel
- Ergonomic lock body cover with SCT Soft Case Technology, which offers a very high impact resistance
- Premium cylinder for high protection against manipulations, e.g. picking
- Two keys are supplied with the lock

Tip

- Cable locks stand out due to good flexibility and quite low weight
- The extraordinarily thick cable has an additional deterrent effect

Ref. No	EAN			Weight	P.U.*
	4003318				
8220/65	55156 7	22 mm / 65 cm		900 g	2
8220/85	55157 4	22 mm / 85 cm		1176 g	2

P.U. = Packing unit



Alarm Brake Disc Locks



8077 Detecto



8000 Detecto



7000 Detecto RS1



7000 Detecto RS2



7000 Detecto RS3



350 Alarm



345 Alarm

Granit Detecto X-Plus 8077

NEW



12KS120 adapter chain

SH 8077



Operation and use

- Very good protection at high theft risk
- Recommended for securing valuable motorbikes

Technology and features

- 13 mm steel bolt
- The bolt, lock body as well as supporting elements of the locking mechanism are made of special hardened steel
- Alarm function on basis of the ABUS 3D detection system that means, that every movement is detected
- Alarm of at least 100 dB
- Lock can be transported in locked condition without activated detection system thanks to automatic brake disc recognition system
- A multi colour LED and different acoustic signals inform about battery, activation and alarm status
- ABUS X-Plus cylinder for highest protection against manipulations, e.g. picking
- Two keys are supplied with the lock, one LED lighted
- ABUS Code Card for additional or replacement keys
- Two AAA standard batteries for the alarm function are included

Holder and transportation

- Protective bag included for easy and secure transportation in a special compartment e.g. under the seat
- SH 8077 - bracket for comfortable transport and easy to mount on tubes with round (two tubes needed) diameter of 12 - 28 mm or square diameter of 12 - 18 mm

Tip

- This lock can be ordered keyed alike to other locks. This means several locks would match one key, respectively key code
- Brake disk locks are a very compact category of motorbike locks and consequently easy to transport
- To increase the security during longer parking time it is recommendable to secure the motorbike to a fixed object additionally
- Thanks to the 3D detection system the motorbike rider gets warned when lifting the bike into upright position and an unintended ride off with the locked bike is prevented
- When the detection is activated the red flashing LED has an additional deterrent effect

Ref. No	EAN		Weight	P.U.*
	4003318			
8077 Granit Detecto	55675 3	13 / 48 mm	835 g	1
Chain 12KS 120	59472 4	12 mm / 120 cm	4000 g	1
SH8077	59474 8			

P.U. = Packing unit

Granit Detecto X-Plus 8000



12KS120 adapter chain



Operation and use

- Very good protection at high theft risk
- Recommended for securing valuable motorbikes

Technology and features


- 14 mm steel bolt
- The bolt, lock body as well as supporting elements of the locking mechanism are made of special hardened steel
- Alarm function on basis of the ABUS 3D detection system that means, that every movement is detected
- Alarm of at least 100 dB
- Lock can be transported in locked condition without activated detection system thanks to automatic brake disc recognition system
- Different acoustic signals inform about battery, activation and alarm status
- ABUS X-Plus cylinder for highest protection against manipulations, e.g. picking
- Two keys are supplied with the lock, one LED lighted
- Manually operated keyhole cover against dirt and corrosion
- ABUS Code Card for additional or replacement keys
- Two AAA standard batteries for the alarm function are included

Holder and transportation

- Protective bag included for easy and secure transportation in a special compartment e.g. under the seat

Tip

- This lock can be ordered keyed alike to other locks. This means several locks would match one key, respectively key code
- Brake disk locks are a very compact category of motorbike locks and consequently easy to transport
- To increase the security during longer parking time it is recommendable to secure the motorbike to a fixed object additionally
- This lock is also available in combination with a special chain
- Thanks to the 3D detection system the motorbike rider gets warned when lifting the bike into upright position and an unintended ride off with the locked bike is prevented

Ref. No	EAN		Weight	P.U.*
	4003318			
Granit Detecto X-Plus 8000	44760 0	14 / 75 mm	1500 g	1
Chain 12KS 120 for 8000	43463 1	12 mm / 120 cm	4000 g	2

P.U. = Packing unit

Detecto 7000 RS1



pixel yellow



signature white



signature yellow



Operation and use

- Good protection at medium theft risk
- Recommended for securing entry level motorbikes, light motorbikes and scooters

Technology and features

- 3 x 5 mm square steel bolt
- The bolt, lock body as well as supporting elements of the locking mechanism are made of special hardened steel
- Alarm function on basis of the ABUS 3D detection system that means, that every movement is detected
- Alarm of at least 110 dB
- Lock can be transported in locked condition without activated detection system thanks to a manuel activation button, integrated into the „Snap'n Go“ mechanism
- A multi colour LED and different acoustic signals inform about battery, activation and alarm status
- One hand operation due to the patented „Snap'n Go“ system - lock closes and activates automatically when pressed on the brake disc
- ABUS Extra Classe cylinder with encoded reversible key
- Two keys are supplied with the lock
- Two AAA standard batteries for the alarm function are included

Holder and transportation

- Protective bag included for easy and secure transportation in a special compartment e.g. under the seat

Tip

- This lock can be ordered keyed alike to other locks. This means several locks would match one key, respectively key code
- Brake disk locks are a very compact category of motorbike locks and consequently easy to transport
- To increase the security during longer parking time it is recommendable to secure the motorbike to a fixed object additionally
- Thanks to the 3D detection system the motorbike rider gets warned when lifting the bike into upright position and an unintended ride off with the locked bike is prevented
- When the detection is activated the red flashing LED has an additional deterrend effect

Ref. No	EAN		Weight	P.U.*
	4003318			
Detecto 7000 RS1 pixel red	45061 7	70 mm	600 g	1
Detecto 7000 RS1 pixel yellow	48733 0	70 mm	600 g	1
Detecto 7000 RS1 signature white	48734 7	70 mm	600 g	1
Detecto 7000 RS1 signature yellow	48735 4	70 mm	600 g	1

P.U. = Packing unit

Detecto 7000 RS 2



yellow



Memory Cable



Operation and use

- Good protection at low theft risk
- Recommended for securing light motorbikes and scooters

Technology and features


- 3 x 5 mm square steel bolt, lock body and supporting elements of the locking mechanism are made of special hardened steel
- Alarm function on basis of a vibration detection system that means, that every impact attack is detected
- Alarm of at least 110 dB
- Lock can be transported in locked condition without activated detection system thanks to a manuel activation button, integrated into the „Snap“n Go“ mechanism
- An LED and different acoustic signals inform about battery, activation and alarm status
- One hand operation due to the patented „Snap“n Go“ system - lock closes and activates automatically when pressed on the brake disc
- ABUS Extra Classe cylinder with encoded reversible key
- Two keys are supplied with the lock
- Including two AAA standard batteries for alarm function
- A Memory Cable as reminder is included

Holder and transportation

- Protective bag included for easy and secure transportation in a special compartment e.g. under the seat

Tip

- This lock can be ordered keyed alike to other locks. This means several locks would match one key, respectively key code
- Brake disk locks are a very compact category of motorbike locks and consequently easy to transport
- To increase the security during longer parking time it is recommendable to secure the motorbike to a fixed object additionally
- When the detection is activated the red flashing LED has an additional deterrend effect

Ref. No	EAN		Weight	P.U.*
	4003318			
Detecto 7000 RS2 red	45060 0	70 mm	585 g	6
Detecto 7000 RS2 yellow	46329 7	70 mm	585 g	6

P.U. = Packing unit

Detecto 7000 RS 3



Memory Cable



Operation and use

- Good protection at low theft risk
- Recommended for securing light motorbikes and scooters

Technology and features


- 3 x 5 mm square steel bolt, lock body and supporting elements of the locking mechanism are made of special hardened steel
- Alarm function on basis of a vibration detection system that means, that every impact attack is detected
- Alarm of at least 110 dB Lock can be transported in locked condition without activated detection system thanks to a manual activation button, integrated into the „Snap“n Go“ mechanism
- Different acoustic signals inform about battery, activation and alarm status
- One hand operation due to the patented „Snap“n Go“ system - lock closes and activates automatically when pressed on the brake disc
- ABUS Extra Classe cylinder with encoded reversible key
- Two keys are supplied with the lock
- Including two AAA standard batteries for alarm function
- A Memory Cable as reminder is included

Holder and transportation

- Protective bag included for easy and secure transportation in a special compartment e.g. under the seat

Tip

- This lock can be ordered keyed alike to other locks. This means several locks would match one key, respectively key code
- Brake disk locks are a very compact category of motorbike locks and consequently easy to transport
- To increase the security during longer parking time it is recommendable to secure the motorbike to a fixed object additionally

Ref. No	EAN		Weight	P.U.*
Detecto 7000 RS 3 yellow	4003318 45059 4	70 mm	580 g	6

P.U. = Packing unit

Trigger Alarm 350



yellow



Memo Roll Up Cable

Operation and use

- Good protection at low theft risk
- Recommended for securing light motorbikes and scooters

Technology and features


- 10 mm steel bolt
- Easy handling due to „push down“ cylinder where the bolt is moved in the locking process automatically
- The bolt, lock body as well as supporting elements of the locking mechanism are made of special hardened steel
- Alarm function on basis of a vibration detection system that means, that every impact attack is detected
- Alarm of at least 110 dB
- Lock can be transported in locked condition without activated detection system thanks to a „on/off“ key position
- Different acoustic signals inform about battery, activation and alarm status
- Quality cylinder
- Two keys are supplied with the lock
- Battery for the alarm function is included
- A Memory Cable as reminder is included

Holder and transportation

- Protective bag included for easy and secure transportation in a special compartment e.g. under the seat

Tip

- Brake disk locks are a very compact category of motorbike locks and consequently easy to transport
- To increase the security during longer parking time it is recommendable to secure the motorbike to a fixed object additionally

Ref. No	EAN		Weight	P.U.*
	4003318			
350 Trigger Alarm red	55972 3	10 mm / 60 mm	900 g	1
350 Trigger Alarm yellow	55973 0	10 mm / 60 mm	900 g	1

P.U. = Packing unit

Trigger Alarm 345



red



Memo Roll Up Cable

Operation and use

- Basic protection at low theft risk
- Recommended for securing light motorbikes and scooters

Technology and features

- 5 mm steel bolt
- Easy handling due to „push down“ cylinder where the bolt is moved in the locking process automatically
- The bolt, lock body as well as supporting elements of the locking mechanism are made of special hardened steel
- Alarm function on basis of a vibration detection system that means, that every impact attack is detected
- Alarm of at least 110 dB
- Lock can be transported in locked condition without activated detection system thanks to a „on/off“ key position
- Different acoustic signals inform about battery, activation and alarm status
- Premium cylinder for high protection against manipulations, e.g. picking
- Two keys are supplied with the lock
- Battery for the alarm function is included
- A Memory Cable as reminder is included

Holder and transportation

- Protective bag included for easy and secure transportation in a special compartment e.g. under the seat

Tip

- Brake disk locks are a very compact category of motorbike locks and consequently easy to transport
- To increase the security during longer parking time it is recommendable to secure the motorbike to a fixed object additionally

Ref. No	EAN		Weight	P.U.*
	4003318			
345 Trigger Alarm yellow	55975 4	5 mm / 60 mm	900 g	1
345 Trigger Alarm red	55974 7	5 mm / 60 mm	900 g	1

P.U. = Packing unit

Brake Disc Locks



77



330



68



340



67



335



37/60 Maxi+Mini



290



37/60



285



300



305

Granit Sledg 77



grip yellow



Memory Cable



web yellow



SH 77



Operation and use

- Very good protection at high theft risk
- Recommended for securing valuable motorbikes

Technology and features


- 13 mm steel bolt
- The „sliding mechanism“ permits compact measurements and also flexible and easy mounting
- Soft plastic cover for better handling and to prevent paintwork damages on the rim
- The bolt, lock body as well as supporting elements of the locking mechanism are made of special hardened steel
- ABUS X-Plus cylinder for highest protection against manipulations, e.g. picking
- Two keys are supplied with the lock, one LED torch key
- ABUS Code Card for additional or replacement keys
- A Memory Cable as reminder to prevent an unintended ride off with the bike still locked is included

Holder and transportation

- SH 77 - bracket for comfortable transport and easy to mount on tubes with round (two tubes needed) diameter of 12 - 28 mm or square diameter of 12 - 18 mm
- Protective bag included for easy and secure transportation in a special compartment e.g. under the seat

Tip

- This lock can be ordered keyed alike to other locks. This means several locks would match one key, respectively key code
- Brake disk locks are a very compact category of motorbike locks and consequently easy to transport
- To increase the security during longer parking time it is recommendable to secure the motorbike to a fixed object additionally


Ref. No	EAN 4003318		Weight	P.U.*
77 Granit Sledg grip red	47503 0	13 / 45 mm	768 g	1
77 Granit Sledg grip yellow	50966 7	13 / 45 mm	768 g	1
77 Granit Sledg web yellow	48736 1	13 / 45 mm	768 g	1
SH77	54648 8		For ABUS No. 77	1
VK-Display Sledg (3)	51153 6			1

P.U. = Packing unit

Granit Victory X-Plus 68



full



Roll Up Adapter



half



Bolt 2012



SH 68/69



Operation and use

- Good protection at high theft risk
- Recommended for securing valuable motorbikes

Technology and features

- 14 mm steel bolt
- Very handy due to rubberized ring
- The bolt, lock body as well as supporting elements of the locking mechanism are made of special hardened steel
- The round shape and the three independently rotating pieces hinder the use of opening tools
- ABUS X-Plus cylinder for highest protection against manipulations, e.g. picking
- Two keys are supplied with the lock, one LED torch key
- ABUS Code Card for additional or replacement keys
- A Memory Clip as reminder to prevent an unintended ride off with the bike still locked is included. In case of the 68 Roll up, the Memo Cable is integrated in the lock

Holder and transportation

- SH 68/69 - bracket for comfortable transport and easy to mount on tubes with round (two tubes needed) diameter of 12 - 28 mm or square diameter of 12 - 18 mm
- Protective bag included for easy and secure transportation in a special compartment e.g. under the seat

Tip

- This lock can be ordered keyed alike to other locks. This means several locks would match one key, respectively key code
- Brake disc locks are a very compact category of motorbike locks and consequently easy to transport
- To increase the security during longer parking time it is recommendable to secure the motorbike to a fixed object additionally
- This lock is also available in a special chain combination (longer bolt)
- For very narrow spaces between bolt and fork, a flattend bolt version is available

Ref. No	EAN		Weight	P.U.*
	4003318			
68 yellow rool up	56564 9	14 mm	720 g	1
68 yellow voll	56335 5	14 mm	720 g	1
68 yellow halb	56336 2	14 mm	705 g	1
SH68/69	33581 5			1
Roll Up Adapter	56566 3			1
Bolt	56565 6	14 mm		1

P.U. = Packing unit

Granit Power XS 67

NEW



Memo Roll Up Cable



Operation and use

- Good protection at medium theft risk
- Recommended for securing entry level motorbikes, light motorbikes and scooters

Technology and features

- 14 mm steel shackle
- Double bolted shackle in the lock body
- The bolt, the lock body as well as supporting elements of the locking mechanism are made of special hardened steel
- Smooth silicone lock body cover to prevent scratches
- ABUS X-Plus cylinder for highest protection against manipulations, e.g. picking
- Two keys are supplied with the lock, one LED torch key
- Manually operated keyhole cover against dirt and corrosion
- ABUS Code Card for additional or replacement keys
- A „roll up“ Memory Cable as reminder to prevent an unintended ride off with the bike still locked is included

Tip

- This lock can be ordered keyed alike to other locks. This means several locks would match one key, respectively key code
- Brake disc locks are a very compact category of motorbike locks and consequently easy to transport
- To increase the security during longer parking time it is recommendable to secure the motorbike to a fixed object additionally

* applied for

Ref. No	EAN 4003318		Weight	P.U.*
67/105HB50 Granit XS red	58090 1	48 / 41 / 17 mm	660 g	1
67/105HB50 Granit XS yellow	56995 1	48 / 41 / 17 mm	660 g	1

P.U. = Packing unit

Granit Quick 37/60 Maxi + Mini



Maxi black



Mini yellow



Mini black



Operation and use

- Good protection at medium theft risk
- Recommended for securing entry level motorbikes, light motorbikes and scooters

Technology and features

- 11 mm steel bolt
- Double bolted shackle in the lock body
- Very handy due to rubberized parts of the Lock body
- Shackle guard protects against attacks with tools
- The bolt, lock body as well as supporting elements of the locking mechanism are made of special hardened steel
- ABUS Plus cylinder for high protection against manipulations, e.g. picking
- Two keys are supplied with the lock, one LED lighted
- Manually operated keyhole cover against dirt and corrosion
- ABUS Code Card for additional or replacement keys
- A Memory Clip as reminder to prevent an unintended ride off with the bike still locked is included

Holder and transportation

- Protective bag included for easy and secure transportation in a special compartment e.g. under the seat

Tip

- This lock can be ordered keyed alike to other locks. This means several locks would match one key, respectively key code
- Brake disc locks are very compact motorbike locks and consequently easy to transport
- To increase the security during longer parking time it is recommendable to secure the motorbike to a fixed object additionally

* Maxi/Mini Pro

Ref. No	EAN		Weight	P.U.*
	4003318			
37/60HB70 Maxi yellow	43849 3	70 / 11-28 / 11 mm	665 g	1
37/60HB70 Maxi black	43850 9	70 / 11-28 / 11 mm	665 g	1
37/60HB70 Maxi Pro yellow	56910 4	70 / 11-28 / 13 mm	665 g	1
37/60HB50 Mini yellow	42657 5	53 / 12-20 / 11 mm	604 g	1
37/60HB50 Mini black	43803 5	53 / 12-20 / 11 mm	604 g	1
37/60HB50 Mini Pro yellow	56908 1	53 / 12-20 / 13 mm	604 g	1

P.U. = Packing unit

Granit Quick 37/60



SH 37



Operation and use

- Good protection at medium theft risk
- Recommended for securing entry level motorbike, light motorbikes and scooters

Technology and features

- 11 mm steel bolt
- Double bolted shackle in the lock body
- Shackle guard protects against attacks with tools
- The bolt, lock body as well as supporting elements of the locking mechanism are made of special hardened steel
- ABUS Plus cylinder for high protection against manipulations, e.g. picking
- Two keys are supplied with the lock, one LED lighted
- Manually operated keyhole cover against dirt and corrosion
- ABUS Code Card for additional or replacement keys
- A Memory Clip as reminder to prevent an unintended ride off with the bike still locked is included

Holder and transportation

- SH 37 - quickly mounted holder, can be fixed on square tubes with up to 18 mm edge length or on two round tubes with up to 25 mm diameter each
- Protective bag included for easy and secure transportation in a special compartment e.g. under the seat

Tip

- This lock can be ordered keyed alike to other locks. This means several locks would match one key, respectively key code
- Brake disc locks are very compact motorbike locks and consequently easy to transport
- To increase the security during longer parking time it is recommendable to secure the motorbike to a fixed object additionally

Ref. No	EAN		Weight	P.U.*
	4003318			
37/60HB70 yellow	00903 7	70 / 14-24 / 11 mm	1067 g	1
SH 37	12372 6			1

P.U. = Packing unit

Trigger 330



yellow



red



Memo Roll Up Cable



Operation and use

- Good protection at low theft risk
- Recommended for securing light motorbikes and scooters

Technology and features


- 9.5 mm steel bolt
- Easy handling due to big closing button and automatic locking
- Diagonally implemented cilinder for maximum space for turning the key
- The bolt, lock body as well as supporting elements of the locking mechanism are made of special hardened steel
- Premium cylinder for high protection against manipulations, e.g. picking
- Two keys are supplied with the lock
- A Memory Cable as reminder to prevent an unintended ride off with the bike still locked is included

Holder and transportation

- Protective bag included for easy and secure transportation in a special compartment e.g. under the seat

Tip

- Brake disk locks are very compact motorbike locks and consequently easy to transport
- To increase the security during longer parking time it is recommendable to secure the motorbike to a fixed object additionally

Ref. No	EAN		Weight	P.U.*
	4003318			
Trigger 330 red	48737 8	9,5 mm / 50 mm	640 g	1
Trigger 330 yellow	48738 5	9,5 mm / 50 mm	640 g	1

P.U. = Packing unit



Trigger Alpha 340



yellow

Memo Roll Up Cable



Operation and use

- Basic protection at low theft risk
- Recommended for securing light motorbikes and scooters

Technology and features


- 10 mm steel bolt
- Easy handling due to „push down“ cylinder where the bolt is moved in the locking process automatically
- The bolt, lock body as well as supporting elements of the locking mechanism are made of special hardened steel
- Quality cylinder
- Two keys are supplied with the lock
- A Memory Cable as reminder to prevent an unintended ride off with the bike still locked is included

Holder and transportation


- Protective bag included for easy and secure transportation in a special compartment e.g. under the seat

Tip

- Brake disk locks are very compact motorbike locks and consequently easy to transport
- To increase the security during longer parking time it is recommendable to secure the motorbike to a fixed object additionally

Ref. No	EAN 4003318		Weight	P.U.*
340 Trigger Alpha red	55976 1	10 mm / 60 mm	900 g	1
340 Trigger Alpha yellow	55977 8	10 mm / 60 mm	900 g	1

Trigger Alpha 335



yellow

Memo Roll Up Cable



Operation and use

- Basic protection at low theft risk
- Recommended for securing light motorbikes and scooters

Technology and features


- 5 mm steel bolt
- Easy handling due to „push down“ cylinder where the bolt is moved in the locking process automatically
- The bolt, lock body as well as supporting elements of the locking mechanism are made of special hardened steel
- Quality cylinder
- Two keys are supplied with the lock
- A Memory Cable as reminder to prevent an unintended ride off with the bike still locked is included

Holder and transportation

- Protective bag included for easy and secure transportation in a special compartment e.g. under the seat

Tip

- Brake disk locks are very compact motorbike locks and consequently easy to transport
- To increase the security during longer parking time it is recommendable to secure the motorbike to a fixed object additionally

Ref. No	EAN 4003318		Weight	P.U.*
335 Trigger Alpha red	55978 5	5 mm / 60 mm	900 g	1
335 Trigger Alpha yellow	55979 2	5 mm / 60 mm	900 g	1

P.U. = Packing unit

Element 290



red



Memo Roll Up Cable



Operation and use

- Basic protection at low theft risk
- Recommended for securing light motorbikes and scooters

Technology and features


- 10 mm steel bolt
- Easy handling due to „push down“ cylinder where the bolt is moved in the locking process automatically
- The bolt is made of special hardened steel
- ABUS quality cylinder
- Two keys are supplied with the lock
- A Memory Cable as reminder to prevent an unintended ride off with the bike still locked is included

Holder and transportation

- Protective bag included for easy and secure transportation in a special compartment e.g. under the seat

Tip

- Brake disk locks are very compact motorbike locks and consequently easy to transport
- To increase the security during longer parking time it is recommendable to secure the motorbike to a fixed object additionally

Ref. No	EAN 4003318		Weight	P.U.*
290 Element yellow	55968 6	10 mm / 60 mm	500 g	1
290 Element red	55969 3	10 mm / 60 mm	500 g	1

Element 285



red



Memo Roll Up Cable



Operation and use

- Basic protection at low theft risk
- Recommended for securing light motorbikes and scooters

Technology and features


- 5 mm steel bolt
- Easy handling due to „push down“ cylinder where the bolt is moved in the locking process automatically
- The bolt is made of special hardened steel
- ABUS quality cylinder
- Two keys are supplied with the lock
- A Memory Cable as reminder to prevent an unintended ride off with the bike still locked is included

Holder and transportation

- Protective bag included for easy and secure transportation in a special compartment e.g. under the seat

Tip

- Brake disk locks are very compact motorbike locks and consequently easy to transport
- To increase the security during longer parking time it is recommendable to secure the motorbike to a fixed object additionally

Ref. No	EAN 4003318		Weight	P.U.*
285 Element yellow	55970 9	5 mm / 60 mm	500 g	1
285 Element red	55971 6	5 mm / 60 mm	500 g	1

P.U. = Packing unit

Provogue 300



Mint



Lilac



Shadow black



Race Winning red

Operation and use

- Basic protection at low theft risk
- Recommended for securing light motorbikes and scooters

Technology and features

- 10 mm steel bolt
- Easy handling due to big closing button and automatic locking
- The bolt is made of special hardened steel
- The lock body is coated with metallic shiny colours or plain colours with softtouch properties
- Quality cylinder
- Two keys are supplied with the lock

Holder and transportation

- Protective bag included for easy and secure transportation in a special compartment e.g. under the seat

Tip

- Brake disk locks are a very compact category of motorbike locks and consequently easy to transport
- To increase the security during longer parking time it is recommendable to secure the motorbike to a fixed object additionally

Ref. No	EAN 4003318		Weight	P.U.*
300 Gun Metal chrome	43795 3	10 mm / 60 mm	702 g	1
300 Mint	56117 7	10 mm / 60 mm	702 g	1
300 Lilac	56115 3	10 mm / 60 mm	702 g	1
300 Shadow black	43797 7	10 mm / 60 mm	702 g	1
300 Race Winning red	43794 6	10 mm / 60 mm	702 g	1

P.U. = Packing unit

Provogue 305



Mint



Gun Metal chrome



Shadow black



Race Winning red

Operation and use

- Basic protection at low theft risk
- Recommended for securing light motorbikes and scooters

Technology and features


- 5 mm steel bolt
- Easy handling due to big closing button and automatic locking
- The bolt is made of special hardened steel
- The lock body is coated with metallic shiny colours or plain colours with softtouch properties
- Quality cylinder
- Two keys are supplied with the lock

Holder and transportation

- Protective bag included for easy and secure transportation in a special compartment e.g. under the seat

Tip

- Brake disk locks are a very compact category of motorbike locks and consequently easy to transport
- To increase the security during longer parking time it is recommendable to secure the motorbike to a fixed object additionally

Ref. No	EAN 4003318		Weight	P.U.*
305 Lilac	56114 6	5 mm / 37 mm	461 g	1
305 Mint	56116 0	5 mm / 37 mm	461 g	1
305 Gun Metal chrome	43790 8	5 mm / 37 mm	461 g	1
305 Shadow black	43792 2	5 mm / 37 mm	461 g	1
305 Race Winning red	43789 2	5 mm / 37 mm	461 g	1

P.U. = Packing unit



Sportscam



SPORTSCAM
LIFE IN HD

Sportscam Full HD



Operation and use

- Small, compact All-in-One HD-Camera
- For all kind of sporting and leisure time activities
- Also for underwater filming

Technology and features

- 1080p Full HD with 30 pictures and 720p HD with 60 pictures per second
- Waterproof housing allows underwater depth of up to 20 meters
- Direct control & replay on the integrated 1,5" monitor
- Real-time recording in full HD, slow motion (60 fps) in HD
- Photo function (8 megapixel resolution)
- 170° wide-angle lens
- Set includes waterproof housing, remote control and a variety of mounts
- Approx. 80 g weight including batteries
- Recording time duration of approx. 3 hours
- Simple playback on PC
- USB cable included

Holder and transportation

- Complete set with waterproof housing, remote control and mounts for all kinds of sports, e.g. cycling, diving etc.
- Set of mounts consisting of suction mount, bike helmet strap, steering wheel mount, clip for waterproof housing, clip for remote control, flat adhesive plate, slide carriage with rotating thread
- Compatible with many mounting equipments due to standard 1/4-inch thread

Tip

- The Sportscam Full HD is a versatile action camera to catch maximum performances and thrilling adventures from the best perspective
- All accessories and a wide range of mount equipment are included
- This action camera has been developed especially for use in extreme situations

Ref. No	EAN	Dimensions	Version	P.U.*
	4003318			
Sportscam Full HD Set	59350 5	85 x 50 x 23 mm		1
VK-Display Sportscam	59351 2		Without products	1
VK-Display Sportscam	59274 4		Including 10 x Sportscam HD	1

P.U. = Packing unit

Special Security Items



WBA100



215



WA50



202



37/55 Snowmobil



201



Carblock



10/200



210



1850



205



767/777



787/797

Granit WBA 100



Operation and use

- The anchor allows the locking of two-wheel vehicles in garages, cellars, at houses and carports. The WBA 100 can be mounted to the ground as well as to the wall. In combination with a high level ABUS lock it builds a very secure unit.

Technology and features

- 16 mm round shackle made of special hardened steel for highest resistance
- Mounting accessories included

Tip

- After installing this anchor correctly it can only be removed with a considerable effort - the usage in rented places has to be checked by the installer
- Due to the flat design and the high quality plastic, the WBA can be overrun by vehicles without any problem e.g. in garages
- The WBA 100 is weatherproof and can be installed indoors or outdoors

Ref. No	EAN		Weight	P.U.*
WBA 100 GRANIT	4003318 27161 8	160 / 165 / 16 / 65 / 77 mm	2000 g	1

WA 50



Operation and use

- The anchor allows the locking of two-wheel vehicles in garages, cellars, at houses and carports. The WA 50 is meant for wall installation. In combination with a high level ABUS lock it builds a very secure unit.

Technology and features

- Strong wall anchor made of special hardened steel
- Mounting accessories included

Tip

- After installing this anchor correctly it can only be removed with a considerable effort - the usage in rented places has to be checked by the installer
- The WA 50 is weatherproof and can be installed indoors or outdoors

Ref. No	EAN		Weight	P.U.*
WA 50	4003318 04294 2	110 / 80 / 38 / 38 mm	870 g	1

P.U. = Packing unit



ABUS Trailer Locks

Made in Germany

- ABUS, the first lock manufacturer with VdS approved trailer locks
- ABUS locks offer the possibility not to only lock the trailer and caravan but also lock it to a solid object
- ABUS does not only protect the trailer but also the valuable freight (boats, motorcycles, ATV, asf.)
- ABUS trailerlocks, approved by insurance companies and recommended by police forces

Snowmobil 37/55



ST 7000



Operation and use

- Good protection for snowscooters

Technology and features

- 11 mm hardened steel shackle
- Shackle double bolted in the lock body
- Shackle and body made from hardened alloy steel
- New Black Granit® coating for even more corrosion resistance
- Body and shackle coated for optimum inner and outer corrosion protection
- ABUS Plus cylinder for high protection against manipulations, e.g. picking
- Two keys are supplied with the lock, one LED-lighted
- ABUS Code Card for additional or replacement key

Tip

- This lock can be ordered keyed alike to other locks. This means several locks would match one key, respectively key code
- Now supplied with a neoprene bag to protect the lock from snow

Ref. No	EAN		Weight	P.U.*
37/55HB535 Snowmobil	26706 2	535 / 28 / 11 mm	1350 g	1
ST 7000	46671 7			

P.U. = Packing unit



Carblock 73



Operation and use

- Anti-theft device for right-hand and left-hand drive cars


Technology and features

- Solid steel construction with plastic grip
- ABUS Plus cylinder for high protection against manipulations, e.g. picking
- Two keys are supplied with the lock, one LED torch key
- ABUS Code Card for additional or replacement key

Ref. No	EAN			Weight	P.U.*
Carblock 73	4003318 06598 9		43 mm / 51 cm	2130 g	1

P.U. = Packing unit

Multiloop 210



purple

lime



white



Operation and use



- Security device for accessory such as helmets or protectors
- Multi-purpose application for garden, home, leisure etc.
- Through variable adjustable loops, the attachment on stable objects or the connection of various objects is highly flexible

Technology and features

- 10 mm strong premium steel cable
- PVC-coating to prevent damage to the bicycle's paintwork
- Semi-transparent silicone coating on the lock body with „soft touch“ properties for better grip
- Integrated adapter in the body for a conversion from one loop to a double-loop cable
- Quality lock cylinder
- Two keys are supplied with the lock

Tip

- Cable locks stand out due to good flexibility and quite low weight
- Available in four colours: black, white, purple and lime
- Through the possibility of variably adjustable loop, the total length of about two meters can be ideally used and adapted to different objects.

Ref. No	EAN 4003318	 	Weight	P.U.*
210/185 black	52524 7	10 mm / 185 cm	600 g	6
210/185 purple	52658 9	10 mm / 185 cm	600 g	6
210/185 lime	52657 2	10 mm / 185 cm	600 g	6
210/185 white	52656 5	10 mm / 185 cm	600 g	6

Combiloop 205



purple



lime



white



Operation and use



- Additional security to secure accessories
- Ideal for securing leisure or sports gear as well as objects

Technology and features

- 5 mm strong steel cable
- PVC-coating to prevent damage to the bicycle's paintwork
- Semi-transparent silicone coating on the lock body with „soft touch“ properties for better grip
- Automatic locking at insertion of the locking bolt
- Individually settable code

Tip

- Cable locks stand out due to good flexibility and quite low weight
- The combination lock is very well suited for the use by several people
- This lock is available in four colours: black, white, purple and lime
- Thanks to the flexible and adjustable loops, the total length of two meters can be ideally used and adapted to different objects.


Ref. No	EAN 4003318	 	Weight	P.U.*
205/200 black	52523 0	5 mm / 200 cm	230 g	12
205/200 purple	52005 1	5 mm / 200 cm	230 g	12
205/200 lime	52004 4	5 mm / 200 cm	230 g	12
205/200 white	52652 7	5 mm / 200 cm	230 g	12

P.U. = Packing unit

Multicombiloop 215



NEW



lime



Operation and use



- Good protection at low theft risk
- Recommended for securing entry level bicycles or high-value accessories
- Multi-purpose application for garden, home, leisure activities and work

Technology and features

- 8 mm strong premium steel cable
- PVC-coating to prevent damage to the bicycle's paintwork
- Silicone coating on the lock body with „soft touch“ properties for better grip and to prevent damage to the bicycle's paintwork
- Integrated adapter in the body for a conversion from one loop to a double-loop cable
- Individually settable code

Tip

- Cable locks stand out due to good flexibility and quite low weight
- Thanks to the flexible and adjustable loops, the total length of about two meters can be ideally used and adapted to different objects.

Ref. No	EAN	 	Weight	P.U.*
215/185 black	58477 0	8 mm / 185 cm	650 g	6
215/185 lime	58629 3	8 mm / 185 cm	650 g	6

P.U. = Packing unit

Combiflex 201



Operation and use


- Compact roll-back cable lock as prevention from occasional theft and unauthorized use
- Perfect protection for luggage, sport equipment like skis, snowboards, skates and bicycle helmets

Technology and features

- Automatically rolling up cable
- 3-digit combination
- Individually settable code
- Case in attractive mobile phone format with soft touch surface

Holder and transportation

- Fits perfectly in every pocket or bag

Ref. No	EAN		Weight	P.U.*
201/70 C/SB	4003318 42921 7	70 cm / 1,6 mm	50 g	3

Combiflex pro 202



Operation and use


- Compact roll-back cable lock as prevention from occasional theft and unauthorized use
- Perfect protection for luggage, sport equipment like skis, snowboards, skates and bicycle helmets

Technology and features

- Automatically rolling up cable
- 4-digit combination
- Individually settable code
- Case in attractive mobile phone format

Holder and transportation

- Fits perfectly in every pocket or bag

Ref. No	EAN		Weight	P.U.*
202/90 C/SB	4003318 52920 7	90 cm / 2,5 mm	80 g	3

P.U. = Packing unit

Cobra



white



purple



lime



Operation and use


- Additional security item to secure accessories
- Multiple purpose cable for garden, house, leisure activities and work

Technology and features

- High quality steel cable with two loop ends
- PVC-coating to prevent damage

Tip

- The Cobra-Loop-Cables are a very useful complement for U-shackle locks
- Cable locks stand out due to good flexibility and quite low weight
- This cable is available in various lengths and thicknesses
- The cable 10/200 is available in different colors: black, white, lime and purple

Ref. No	EAN 4003318		Weight	Carrier	P.U.*
Cobra 8/200 black	25718 6	8 mm / 200 cm	294 g		1
Cobra 10/200 black smoke	11167 9	10 mm / 200 cm	430 g		1
Cobra 10/200 white	52653 4	10 mm / 200 cm	430 g		1
Cobra 10/200 lime	52654 1	10 mm / 200 cm	430 g		1
Cobra 10/200 purple	52655 8	10 mm / 200 cm	430 g		1
Cobra 10/200 black	52006 8	10 mm / 200 cm	430 g		1
Cobra 10/500 black	20780 8	10 mm / 500 cm	950 g		1
Cobra 10/1000 black	20781 5	10 mm / 1000 cm	1730 g		1
Cobra 12/120 black	25719 3	12 mm / 120 cm	380 g		1

1850



Operation and use

- Additional security item to secure accessories
- Multiple purpose cable for garden, house, leisure activities and work

Technology and features

- High quality steel coil cable with two loop ends
- PVC-coating to prevent damage

Tip

- The Loop-Cables are a very useful complement for U-shackle locks
- Coil cable locks offer a compact transport size and have an extremely multifunctional and practicable length
- The Cobra cable is available in various lengths and thicknesses

Ref. No	EAN 4003318		Weight	Carrier	P.U.*
1850/185	12752 6	8 mm / 185 cm	268 g		18

P.U. = Packing unit

787 / 797



Operation and use

- Protected storage of keys and other valuables for authorised persons
- Quick and easy access for frequently changing groups of persons (craftsmen, service, holiday guests, apartment buildings, car rentals)
- Defining access by setting and passing on the code
- For wall fixing indoors and in protected outdoor areas

Technology and features

- Solid metal housing
- 4-digit individually settable code
- Protective cover with sliding mechanism
- For wall mounting with screws

Ref. No	EAN	Version	Colours	P.U.*
	4003318			
787 KeyGarage B	46331 0	for the wall	black-silver	5
797 KeyGarage B	46330 3	with shakle	black-silver	5

767 / 777



Operation and use

- To mount on an indoor or protected outdoor wall
- Protected storage of keys and other valuables for authorised persons
- Quick and easy access for different people
- Individually settable code

Technology and features

- Strong metal case
- Plastic cover to protect key board from dust, dirt, etc.
- Up to 10-digit individually settable code

Ref. No	EAN	Version	Colours	P.U.*
	4003318			
767 KeyGarage	53507 9	for the wall	black-silver	1
777 KeyGarage	53508 6	with shakle	black-silver	1

P.U. = Packing unit





37/60



37/55



37/80



20/80



37/55 S&S



24/70



92W/65



34CS/55



55



Chains

Granit 37/60



Operation and use

- To secure valuables/goods of great value or at a very high risk of theft
- Meets special requirements of insurance companies
- Certified and approved padlock
- To secure e.g. warehouses, industrial sites, factory gates, containers and lorries
- Ideally used with ABUS hasp No. 125

Technology and features

- Special hardened lock body and shackle, KTL coating for optimum corrosion protection
- Hardened drill & pull protection of cylinder
- Double bolted, min. 6 tons pulling resistance
- Key retaining: key can only be removed if padlock is correctly locked
- Depending on the model the shackle can be taken out
- CEN-class 4

Ref. No	EAN							Level	P.U.*
	4003318								
37/60	08018 0	65	18	16	11	35	85	10	

Granit Plus 37RK/80



Operation and use

- To secure valuables/goods of great value or at a very high risk of theft
- Meets special requirements of insurance companies
- Certified and approved padlock
- To secure e.g. warehouses, factory gates, containers and lorries
- Ideally used with ABUS hasp No. 125

Technology and features

- Special hardened lock body and shackle, KTL coating for optimum corrosion protection
- Double bolted, min. 8 tons pulling resistance
- CEN-class 5, SSF-class 4
- Key retaining: Key can only be removed if padlock is correctly locked
- Shackle can be taken out
- ABUS-Plus-7-disc-cylinder: Approx. 200,000 key differs
- Cylinder can be exchanged
- Recommended by police and insurance companies
- With shackle guard to protect against bolt cutter attacks

Ref. No	EAN							Level	P.U.*
	4003318								
Granit Plus 37RK/80	20115 8	79	22	22	14	39	94	10	1

P.U. = Packing unit

Granit 37/55 S&S



Operation and use

- Securing larger valuable objects
- Securing objects with very high risk of theft
- Special insurance company requirements

Technology and features

- ABUS Plus disc cylinder: maximum precision for securing against intelligent attempts to break open, 250,000 different key variations
- Special high-tech anti corrosion protection
- Double ball locking
- Cylinder can be adapted to existing keys / locks by a locksmith (RK version only)
- Signal-coloured casing

Tip

- This lock can be ordered keyed alike to other locks. This means several locks would match one key, respectively key code

Ref. No	EAN							Level	P.U.*
37/55 S&S	4003318 32441 3	63	27,5	26	11	31	85	10	1

Granit 37/55



Operation and use

- To secure valuables/goods of great value or at a very high risk of theft
- Meets special requirements of insurance companies
- Certified and approved padlock
- To secure e.g. warehouses, industrial sites, factory gates, containers and lorries
- Ideally used with ABUS hasp No. 125

Technology and features

- Special hardened lock body and shackle, KTL coating for optimum corrosion protection
- Hardened drill & pull protection
- Double bolted, min. 6 tons pulling resistance
- Also available with long shackle
- Key retaining: Key can only be removed if padlock is correctly locked
- SSF-class 3 (37/55 only), CEN-class 4
- ABUS-Plus-disc cylinder
- Also available in RK
- Recommended by police and insurance companies
- Incl. lighted key (batteries incl.)



Ref. No	EAN							Level	P.U.*
37/55	00838 2	63	27,5	26	11	31	85	10	3

P.U. = Packing unit

Diskus 20



Operation and use

- To secure valuables/goods of great value or at a very high risk of theft
- To secure e.g. warehouses, industrial sites, factory gates, containers and lorries
- Ideally used with ABUS Diskus Hasp 140, => virtually impossible to attack shackle

Technology and features

- Round shape plus narrow shackle opening makes it difficult to access with heavy-duty tools
- Special saving protection
- Double locking - mechanism
- Shackle made from hardened alloy steel
- ABUS-Plus disk cylinder: highest protection against manipulation, 250.000 key differs, drilling and pulling protected
- Stainless Steel – outside + inside
- Made in Germany

Ref. No	EAN							Level	P.U.*
	4003318								
20/80	08798 1	80	25	18	11	35	81	9	
20/70	08854 4	70	20	17	10	30	70	9	

Diskus 24/70



Operation and use

- To secure valuables/goods at a medium risk of theft
- To secure e.g. warehouses, industrial sites, factory gates, containers and lorries


Technology and features

- Round shape plus narrow shackle opening makes it difficult to access with heavy-duty tools
- Double locking
- Shackle made from hardened alloy steel
- ABUS quality cylinder
- Stainless Steel – outside + inside
- Made in Germany

Ref. No	EAN							Level	P.U.*
	4003318								
24/70	01107 8	91	20	17	10	31	70	8	6

P.U. = Packing unit

92W/65



Operation and use

- To secure valuables/goods of greater value or at a high risk of theft
- Ideally used with ABUS-chains

Technology and features

- Hardened steel lock body casing made from hardened steel
- Double bolted
- Cylinder is protected against drilling and pulling
- Precision pin cylinder
- Key retaining: locking only with the key (lock retains key until locked)

Ref. No	EAN							Level	P.U.*
92W/65	28332 1	67	33	14	10	28	58	7	1

Platinum 34CS/55



Operation and use

- To secure valuables/goods of greater value or at a high risk of theft
- Ideally used with ABUS-chains

Technology and features

- Lock body and shackle made from hardened steel
- Double bolted
- Cylinder is protected against drilling and pulling
- Precision pin cylinder
- Cylinder can be re-keyed to match an existing key
- Key retaining: Key can only be removed if padlock is correctly locked
- Shackle guard protects shackle from attack



Ref. No	EAN							Level	P.U.*
34CS/55 Platinum	20071 7	55	24,5	28	11	25	87	8	3

P.U. = Packing unit

55



55/40



55/40HB63



Operation and use

- Basic protection
- For locking doors, gates, cabinets, lockers, toolboxes, cellar windows, sheds, switchgears, barriers
- Ideal in combination with Cobra loop cables

Technology and features

- Body made of solid brass
- Inner components made of non-corrosive materials
- Hardened shackle
- Precision pin tumbler cylinder

Tip

- This classic lock is available in different sizes

Ref. No	EAN 4003318							Weight	Level	P.U.*
55/30	02854 0	29	15	13	5	12	44	74 g	3	12
55/40	02856 4	38	21	22	6	13	60	137 g	4	12
55/40HB63	04762 6	38	21	63	6	13	103	164 g	4	12
55/50	02858 8	48	25	24	7	14	68	207 g	5	6
55/60	02859 5	58	32	32	8	16	84	326 g	6	6

Chain KS



Ref. No	EAN 4003318		Weight	P.U.*
Chain 10KS170 black	27166 3	10 mm / 170 cm	3838 g	2
Chain 10KS140 black	27167 0	10 mm / 140 cm	3110 g	2
Chain 10KS110 black	27168 7	10 mm / 110 cm	2510 g	2
Chain 9KS250 loop	46735 6	9 mm / 250 cm	4930 g	2
Chain 9KS170 black	45578 0	9 mm / 170 cm	3638 g	2
Chain 9KS140 black	45577 3	9 mm / 140 cm	2290 g	2
Chain 8KS140 black	28509 7	8 mm / 140 cm	2090 g	2
Chain 8KS110 black	27295 0	8 mm / 110 cm	1725 g	2
Chain 8KS85 black	27294 3	8 mm / 85 cm	1328 g	2

P.U. = Packing unit








SH59



SH58



SH68/69



SH37



SH77



SH8077



ST 1010

SH 8077



Operation and use

- Transport of brake disc lock Granit Detecto X-Plus 8077
- Mounting on tubes with round (two tubes needed) diameter of 12 - 28 mm or square diameter of 12 - 18 mm
- Two sets of screws with different lengths included
- Plastic bracket with metal clamp for mounting and rubber inlays
- Very quick mounting

Ref. No	EAN	Version	P.U.*
	4003318		
SH8077	59474 8	For ABUS No. 8077	

SH 58



Operation and use

- Transport of U-shackle lock Granit Power 58
- Mounting on tubes with round diameter of 12 - 17 mm or with a screw of 8 - 10 mm diameter
- Screws included
- Metal bracket for mounting with rubber inlays for best hold
- Very quick mounting

Ref. No	EAN	Version	P.U.*
	4003318		
SH 58	05810 3	For ABUS No. 58	3

SH 59



Operation and use

- Transport of U-shackle lock Granit Extreme 59
- Mounting on tubes with round diameter of 12 - 17 mm or with a screw of 8 - 10 mm diameter
- Screws included
- Plastic bracket for mounting with rubber inlays for best hold
- Very quick mounting

Ref. No	EAN	Version	P.U.*
	4003318		
SH 59	23763 8	For ABUS No. 59	2

SH 68/69



Operation and use

- Transport of brake disc locks Granit Victory 68 and Granit Extreme 69
- Mounting on tubes with round (two tubes needed) diameter of 12 - 28 mm or square diameter of 12 - 18 mm
- Two sets of screws with different lengths included
- Metal bracket for mounting with rubber inlays for best hold and rattle free transport of the lock
- Very quick mounting

Ref. No	EAN	Version	P.U.*
	4003318		
SH68/69	33581 5	For ABUS No. 68/69	1

SH 37



Operation and use

- Mounting on tubes with round (two tubes needed) diameter of 12 - 25 mm or square diameter of 12 - 17 mm
- Two sets of screws with different lengths included
- Metal bracket for mounting with rubber inlays for best hold and rattle free transport of the lock
- Very quick mounting

Technology and features

- Bracket for brake disc lock 37/60HB70 (00903 7)

Ref. No	EAN	Version	P.U.*
	4003318		
SH 37	12372 6	For ABUS No. 37	1

SH 77



Operation and use

- Transport of brake disc lock Granit Sledg 77
- Mounting on tubes with round (two tubes needed) diameter of 12 - 28 mm or square diameter of 12 - 18 mm
- Two sets of screws with different lengths included
- Plastic bracket with metal clamp for mounting and rubber inlays
- Very quick mounting

Ref. No	EAN	Version	P.U.*
	4003318		
SH77	54648 8	For ABUS No. 77	1

P.U. = Packing unit

ST 1010



Operation and use

- Robust multi use bag made of nylon with handle
- Practical for transporting chain locks, tools and small parts

Ref. No	EAN 4003318	Technical details	Weight	P.U.*
ST1010	23207 7	160 mm / 250 mm / 50 mm	172 g	1

P.U. = Packing unit







Shop in Store



Shop in Store



Display MD10



Display FA01



VK Display 77



VK Display Sportscam



VK Display PS 88 SB



Shop in Store – the flexible display solution




Shop in store opens the door to a new world of display solutions. The one meter wide basic display is supplied in two different heights (220 cm and 140 cm) and can be fitted in any site by use of modular extensions – as many as you need.

For the lateral extension there are sets available in one and half meters. If appropriate to use both the back and front of the display thanks to the Shop in Store, you will no longer need a separate display, but a compact additional set.

Further, an attractive aisle stopper is included in the delivery, to make your POS more attractive and more informative. Additional easily assembled illuminated headers for the 220 cm displays are an optional extra.

For the presentation of high quality products you can also order a heavy duty crossbar together with the corresponding hooks that will ensure safe weight loading. Altogether, the Shop in Store system offers a complete tailor-made solution package for your ABUS sales area.


Shop in Store Display



Ref. No	EAN	Dimensions	Version	Weight	P.U.*
	4003318				
Shop in Store Display	45928 3	220 / 50 / 100 cm	18 detachable hooks + 2 x heavy duty set		1
Side Add-On pic. 1	45930 6	220 / 50 / 100 cm	18 detachable hooks + 2 x heavy duty set		1
Side Add-On pic. 2	45932 0	220 / 50 / 50 cm	10 detachable hooks + 2 x heavy duty set		1
Set for two sided hanging pic. 3	45934 4	220 / 50 / 100 cm	18 detachable hooks + 2 x heavy duty set		1
Set for two sided hanging pic. 4	45936 8	220 / 50 / 50 cm	10 detachable hooks + 2 heavy duty set		1
Heavy Duty Set	45944 3	100 cm	5 heavy duty hooks		1
Heavy Duty Set	45948 1	50 cm	3 heavy duty hooks		1
Lighting Set	45945 0	100 cm			1
Lighting Set	46243 6	50 cm			1

P.U. = Packing unit

Shop in Store Display



Ref. No	EAN 4003318	Dimensions	Version	Weight	P.U.*
Shop in Store Display	45929 0	140 / 50 / 100 cm	14 detachable hooks 1 x heavy duty set		1
Side Add-On pic. 1	45931 3	140 / 50 / 100 cm	14 detachable hooks + 1 x heavy duty set		1
Side Add-On pic. 2	45933 7	140 / 50 / 50 cm	8 detachable hooks + 1 x heavy duty set		1
Set for two-sided hanging pic. 3	45935 1	140 / 50 / 100 cm	14 detachable hooks + 1 x heavy duty set		1
Set for two-sided hanging pic. 4	45937 5	140 / 50 / 50 cm	8 detachable hooks + 1 x heavy duty set		1
Heavy Duty Set	45944 3	100 cm	5 heavy duty hooks		1
Heavy Duty Set	45948 1	50 cm	3 heavy duty hooks		1

P.U. = Packing unit

VK Display MD10



Ref. No	EAN	Dimensions	Version	P.U.*
	4003318			
Sales Display MD 10	52934 4	70x210x40 cm	incl. 26 Hooks - without products	1
Heavy Duty Set	45944 3	100 cm	5 heavy duty hooks	1

P.U. = Packing unit

VK Display FA01



Ref. No	EAN	Dimensions	Version	P.U.*
VK Display FA01	4003318 30454 5	60,5 / 51 / 200 cm		1

P.U. = Packing unit

VK Display Sledg (3)



Ref. No	EAN	Dimensions	Version	P.U.*
	4003318			
VK-Display Sledg (3)	51153 6	27 / 34 / 23 cm	1 x grip red, 1 x grip yellow, 1 x web yellow	1

VK Display Sportscam

NEW



Ref. No	EAN	Dimensions	Version	P.U.*
	4003318			
VK-Display Sportscam	59351 2		Without products	1
VK-Display Sportscam	59274 4		Including 10 x Sportscam HD	1

P.U. = Packing unit

VK Display PS 88 (50ml)



Ref. No	EAN	Version	P.U.*
	4003318		
VK PS88 Spray 50 ml D	08217 7	24 x 50 ml	1
VK PS88 Spray 50ml E	31942 6	24 x 50 ml	1
VK PS88 Spray 50ml S	52644 2	24 x 50 ml	1

VK Display PS 88 (125ml)






Ref. No	EAN	Version	P.U.*
	4003318		
VK PS88 Spray 125mlD	06952 9	12 x 125 ml	1




P.U. = Packing unit

Lock- vehicle type-combination table



U-Shackle Locks

Our recommendation				
Granit Extreme 59	p. 11	X	X	
Granit Power 58	p. 12	X	X	
Granit X-Plus 54	p. 13	X	X	




Alarm Brake Disc Locks

Our recommendation				
Granit Detecto 8077	p. 43	X	X	
Granit Detecto X-Plus 8000	p. 44	X	X	
Detecto 7000 RS1 pixel	p. 45	X	X	
Detecto 7000 RS2	p. 46	X	X	
Detecto 7000 RS3	p. 47	X	X	
Trigger Alarm 350	p. 48	X	X	
Trigger Alarm 345	p. 49	X	X	




Lock-Chain-Combinations

Our recommendation				
Granit Extreme Plus 59	p. 15	X	X	X
Granit Extreme Chain 37	p. 16	X	X	X
Granit Detecto 8077 + 12 KS	p. 17	X	X	
Granit Detecto 12 KS 120 Black Loop	p. 18	X	X	
Granit 58/140HBIII 100 + 12 KS 120 Black Loop	p. 19	X	X	X
Granit Victory X-Plus 68 + 12KS120 Loop	p. 20	X	X	
Granit Power XS 67 + 12 KS 1200 Loop	p. 21	X	X	X
Granit CityChain X-Plus 1060	p. 22	X	X	X
CityChain 1010	p. 23	X	X	X
Platinum-Chain 34 CS/55 + 10 KS	p. 24	X	X	X
Ivy 9100	p. 25	X	X	X
Iven 8210	p. 26		X	
Winner-Chain 92 W 65/8 KS	p. 27		X	




Brake Disc Locks

Our recommendation				
Granit Sledg 77	p. 51	X	X	
Granit Victory X-Plus 68	p. 52	X	X	
Granit Power XS 67	p. 53	X	X	X
Granit Quick Maxi + Mini	p. 54	X	X	X
Granit Quick 37	p. 55	X	X	X
Trigger 330	p. 56	X	X	
Trigger Alpha 340	p. 58		X	
Trigger Alpha 335	p. 58		X	
Element 290	p. 59		X	
Element 285	p. 59		X	
Provogue 300	p. 60		X	
Provogue 305	p. 61		X	

Steel-0-Flex

Our recommendation				
Granit Steel-0-Flex X-Plus 1025	p. 29	X	X	
Granit Steel-0-Flex 1000	p. 30	X	X	
Steel-0-Flex 950	p. 31	X	X	
Ivy 9000	p. 32		X	
Iven 8200	p. 33		X	
Centuro 860	p. 34		X	
Tresor 1360	p. 35		X	

Cable Locks

Our recommendation				
Cetero 970	p. 39		X	
Iven 8220	p. 40		X	

Notes

[illegible]

Notes

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

Notes

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

Notes

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

We do not undertake any liability for modifications in technology, changes in colour and errors. ABUS ©10/2011
USt.-Id Nr.: DE 126881051



Security Tech Germany

Contact:

ABUS | August Bremicker Söhne KG
Altenhofer Weg 25
D 58300 Wetter
E-Mail: mobile@abus.de
Internet: www.abus.com
Tel: +49 23 35 634-0
Fax: +49 23 35 634-490

Due to a policy of continual development, ABUS reserves the right to modify technical details & colours. E&OE ABUS © 2012

